



**Forensic Firearms Services Unit  
Evidence Submission Control Sheet**

Lab Control Number: **210280** ATF TRACE # **N/A**

Agency Name: **Delaware State Police** Investigating Officer: **Sgt Yeich 466 (DSP Homicide Unit)**

Date of Occurrence: **03/26/2021** Type of Offense: **Homicide/Officer Involved Shooting**

Location of Occurrence: **26970 Danny Drive, Seaford** Complaint Number: **05-21-17247**

Contact Phone No. : **302-752-3839** Submitting Officer: **Detective R. Lowe 1415**

Suspect: **Kelly Rooks** RP/Victim: **TFC Dean Johnson 1817 (T-5/Patrol)**

**List your evidence below that you are submitting:**

- Item 1 - #2021-17247/12 - Shell Casing
- Item 2 - #2021-17247/12 - Shell Casing
- Item 3 - #2021-17247/12 - Shell Casing
- Item 4 - #2021-17247/12 - Shell Casing
- Item 5 - #2021-17247/12 - Shell Casing
- Item 6 - #2021-17247/12 - Shell Casing
- Item 7 - #2021-17247/12 - Shell Casing
- Item 8 - #2021-17247/12 - Projectile Fragments & Wad
- Item 9 - #2021-17247/12 - Projectile Fragment
- Item 10 - #2021-17247/12 - Shotgun Shell Casing (Spent)
- Item 11 - #2021-17247/12 - Projectile
- Item 12 - #2021-17247/12 - Projectile
- Item 13 - #2021-17247/12 - Shotgun Shell (Live)
- Item 14 - #2021-17247/12 - Projectile
- Item 15 - #2021-17247/4 - Projectile
- Item 16 - #2021-17247/4 - Projectile
- Item 17 - #2021-17247/4 - Projectile
- Item 18 - #2021-17247/4 - Projectile
- Item 19 - #2021-17247/11 - New England Firearms 12-gauge single shot shotgun – serial #NT266314
- Item 20 - #2021-17247/1 - Sig Sauer P320 - 9mm semi-auto handgun – serial #58K047133 (DSP Issued)
- Item 21 - #2021-17247/10 - (3) Sig Sauer handgun magazines - 45 rounds of 9mm ammunition (DSP Issued)
- Item 22
- Item 23
- Item 24 **TEST FIRE/NIBIN/IBIS ENTRY**
- Item 25
- Item 26
- Item 27

Date Received: **04/02/21 @ 0930** Date Returned:

Submitted By: **R. Lowe 1415** Returned To:

Received By: **B:004 1100** Returned By:



**Forensic Firearms Services Unit  
Internal Evidence Tracking Sheet**

Lab Control Number: **210280**      Complaint Number: **05-21-017247**

Date/Time Removed	Reason for removal of evidence	Signature	Date returned
4/8/21 1330hr	Examination	<i>J. Cooley</i>	4/29/21

*Delaware State Police*  
*Forensics Firearms Services Unit*  
*Dover DE*

Sgt. Yeich  
Delaware State Police  
Homicide Unit  
600 S. Bay Road  
Dover, DE, 19901

Lab. Number: 210280  
Complaint Number: 05-21-017247  
Date of Report: April 29, 2021

**Suspect:** Kelly Rooks  
Homicide/Officer Involved Shooting

**Location:** 26970 Danny Drive  
Seaford, DE

**EXHIBITS:**

The evidence described below was received on April 2, 2021:

Items #1- #7	Seven cartridge cases
Item #8	Three pieces of lead, wadding and shot wad
Item #9	One (1) piece of lead
Item #10	One (1) shotshell casing
Item #11- #12	Two (2) bullets
Item #13	One (1) shotshell
Items #14- #18	Five (5) bullets
Item #19	One (1) shotgun
Item #20	One (1) pistol
Item #21	Three (3) magazines and cartridges

**RESULTS OF EXAMINATION:**

Items #1 through #7 are all 9mm Luger caliber cartridge cases, Speer brand.

Items # 11, #12, Items #14 through #18 are all jacketed hollow point bullets from the .38 caliber family, which includes 9mm Luger caliber. All of these bullets have been fired from a barrel rifled with the six (6) lands and grooves, right twist.

Item #20 is a 9mm Luger caliber Sig Sauer semi-automatic pistol, model P320, serial number 58K047133. Item #20 functioned normally when test fired in the Laboratory. The barrel of Item #20 is rifled with six (6) lands and grooves, right twist. Also submitted was Item #21, which consisted of three (3) 9mm Luger caliber Sig Sauer magazines which fit into and functioned with the Item #20 Sig Sauer pistol. Further submitted with Item #21 were forty-five (45) 9mm Luger caliber cartridges, Speer brand.

*Delaware State Police*  
*Forensics Firearms Services Unit*  
*Dover DE*

It was determined that the Item #1 through #7 cartridge cases and the Item #11, #12 and Item #14 through #18 bullets were all fired in the Item #20 Sig Sauer pistol.

Item #8 consists of three deformed pieces of lead that are consistent in weight with 00 buckshot, one (1) piece of shotshell wadding and one (1) shotshell wad.

Item #9 is a deformed piece of lead that is consistent in weight with 00 buckshot.

The Item #8 and #9 pieces of lead contain no toolmarks of value for comparison purposes.

Item #10 is one (1) 12 gauge shotshell casing, Sellier and Bellot brand, that is labeled as having been loaded with 00 buckshot.

Item #13 is a 12 gauge shotshell, Sellier and Bellot brand that is loaded with 00 buckshot.


Item #19 is a 12 Gauge New England Firearms Company shotgun, model Pardner, serial number 266314. Item #19 functioned normally when test fired in the Laboratory.

It was determined that the Item #10 shotshell was fired in the Item #19 New England Firearms Company shotgun.

*All identifications are based upon a combination of agreement of discernable class characteristics and sufficient agreement of the individual microscopic characteristics of the items as viewed under the comparison microscope using pattern matching.*

*Any determination that Items could not be identified or eliminated is based upon agreement of discernable class characteristics combined with the lack of sufficient agreement of individual microscopic characteristics.*

Please retain the above evidence for FIVE (5) years from above Date

  
**James J. Cadigan**

Firearms and Tool Mark Examiner  
Delaware State Police  
Forensic Firearms Services Unit

Page 2 of 2  
Laboratory Number: 210280  
Complaint Number: 05-21-017247

## DSP FORENSIC FIREARMS SERVICES UNIT CARTRIDGE CASE NOTES

<b>FFSU NUMBER:</b> 210280	<b>COMPLAINT NUMBER:</b> 05-21-017247
----------------------------	---------------------------------------

<b>ITEM:</b>	1-7				
<b>CALIBER:</b>	9mm Luger				
<b>MARKETED BY:</b>	Speer				
<b>CASE:</b>	Nickel				
<b>PRIMER:</b>	Brass				
<b>BREECH:</b>	Parallel				
<b>FIRING PIN:</b>	Hemispherical				

**NOTES:**

It was determined that the Item 1-7 CC's were all fired in the same firearm, which was the Item 20 (210280) Sig Sauer.

<b>EXAMINER:</b> J. Cadigan	<b>DATE:</b> 4/28/21	<b>INITIALS:</b> <i>JC</i>
-----------------------------	----------------------	----------------------------

**FFSU MISCELLANEOUS**  
**EXAMINATION NOTES**

Item 8 (210280) consists one shot wad, one wadding and three deformed pieces of lead that are consistent with 00 buckshot.

The three weights are as follows:

49.8 Grains

52.0 Gr.

51.9 Gr.

Item 9 (210280) consists of one deformed piece of lead, consistent with buckshot, that weighs 50.8 Gr.

Items 8 & 9 bear no TMOV.

Examined by: J. Cadigan

Date: 4/27/21

*J. Cadigan*  
4/27/21

## DSP FORENSIC FIREARMS SERVICES UNIT CARTRIDGE CASE NOTES

<b>FFSU NUMBER:</b> 210280	<b>COMPLAINT NUMBER:</b> 05-21-047133
----------------------------	---------------------------------------

<b>ITEM:</b>	10	13			
<b>CALIBER:</b>	12 Gauge	12 Gauge			
<b>MARKETED BY:</b>	Sellier and Bellot	S&B			
<b>CASE:</b>	shotshell-plastic and brass	shotshell-plastic and brass			
<b>PRIMER:</b>	brass	brass			
<b>BREECH:</b>	Plain	N/A live shotshell			
<b>FIRING PIN:</b>	Hemispherical	N/A			

**NOTES:**

It was determined that the Item 10 shotshell was fired in the Item 19 New England Firearms shotgun.

<b>EXAMINER:</b> J. Cadigan	<b>DATE:</b> 4/28/21	<b>INITIALS:</b> <i>JC</i>
-----------------------------	----------------------	----------------------------

**DSP FORENSIC FIREARMS SERVICES UNIT  
BULLET NOTES**

<b>FFSU NUMBER:</b> 210280	<b>COMPLAINT NUMBER:</b> 05-21-017247
----------------------------	---------------------------------------

<b>ITEM:</b>	11	12	14	15	16
<b>CALIBER:</b>	.38 caliber family	.38 caliber family	.38 caliber family	.38 caliber family	.38 caliber family
<b>DIAMETER:</b>	.354	.350	.349	.343	.353
<b>LAG:</b>	6R	6R	6R	6R	6R
<b>LIMP:</b>					
<b>GIMP:</b>					
<b>BULLET COMP:</b>	JHP	JHP	JHP	JHP	JHP
<b>WEIGHT:</b>	147.6 Gr.	146.2 Gr.	139.9Gr.	146.5 Gr.	132.9 Gr.

**NOTES:**

It was determined that the Item 11, 12, 14-16 bullets were all fired from the barrel of the Item 20 (210280) Sig Sauer pistol.

<b>EXAMINER:</b> J. Cadigan	<b>DATE:</b> 4/29/21	<b>INITIALS:</b> <i>JC</i>
-----------------------------	----------------------	----------------------------



**DSP FORENSIC FIREARMS SERVICES UNIT  
BULLET NOTES**

<b>FFSU NUMBER:</b> 210280	<b>COMPLAINT NUMBER:</b> 05-21-017247
----------------------------	---------------------------------------

<b>ITEM:</b>	17	18			
<b>CALIBER:</b>	.38 caliber family	.38 caliber family			
<b>DIAMETER:</b>	.348	.348			
<b>LAG:</b>	6R	6R			
<b>LIMP:</b>					
<b>GIMP:</b>					
<b>BULLET COMP:</b>	JHP	JHP			
<b>WEIGHT:</b>	140.3 Gr.	146.0 Gr.			

**NOTES:**

It was determined that the Item 17 and 18 bullets were fired from the barrel of the Item 20 (210280) Sig Sauer pistol.

<b>EXAMINER:</b> J. Cadigan	<b>DATE:</b> 4/29/21	<b>INITIALS:</b> <i>JC</i>
-----------------------------	----------------------	----------------------------

**DSP FORENSIC FIREARMS SERVICES UNIT  
FIREARM NOTES**

<b>FFSU NUMBER:</b> 210280	<b>COMPLAINT NUMBER:</b> 05-21-017247
----------------------------	---------------------------------------

<b>FIREARM TYPE:</b>	Shotgun	<b>SERIAL NUMBER:</b>	266314
<b>MAKE:</b>	New England Firearms Co. Gardner, MA.	<b>IMPORTER:</b>	
<b>MODEL:</b>	Pardner	<b>CALIBER:</b>	12 Gauge
<b>TEST FIRED:</b>	Y	<b>COLOR:</b>	Black with a wood stock
<b>OPERABLE:</b>	Y		
<b>LAG:</b>	N/A	<b>CAPACITY:</b>	Single Shot
<b>FIRING PIN:</b>	Hemispherical	<b>BARREL LENGTH:</b>	27 1/2"
<b>MAG SAFE:</b>	N/A	<b>TRIGGER PULL:</b>	<b>SINGLE ACTION:</b> <b>DOUBLE ACTION:</b>

**NOTES:**

Item 19 functioned normally when test fired in the Laboratory.  
It was determined that the Item 10 shotshell casing was fired in the Item 19 N.E.F. shotgun.

<b>EXAMINER:</b> J. Cadigan	<b>DATE:</b> 4/29/21	<b>INITIALS:</b>
<b>NIBIN:</b>	<b>DATE:</b>	<b>INITIALS:</b> <i>JC</i>

**DSP FORENSIC FIREARMS SERVICES UNIT  
FIREARM NOTES**

<b>FFSU NUMBER:</b> 210280	<b>COMPLAINT NUMBER:</b> 05-21-017247
----------------------------	---------------------------------------

<b>FIREARM TYPE:</b>	SAP	<b>SERIAL NUMBER:</b>	58K047133
<b>MAKE:</b>	Sig Sauer	<b>IMPORTER:</b>	
<b>MODEL:</b>	P320	<b>CALIBER:</b>	9mm Luger
<b>TEST FIRED:</b>	Y	<b>COLOR:</b>	Black
<b>OPERABLE:</b>	Y		
<b>LAG:</b>	6R	<b>CAPACITY:</b>	17 + 1
<b>FIRING PIN:</b>	Hemispherical	<b>BARREL LENGTH:</b>	4"
<b>MAG SAFE:</b>	N	<b>TRIGGER PULL:</b>	<b>SINGLE ACTION:</b> <b>DOUBLE ACTION:</b>

**NOTES:**

Item 20 functioned normally when test fired in the Laboratory.

It was determined that the Item 1-7 (210280) CC's as well as the Item 11, 12 and 14-18 bullets were all fired in the Item 20 Sig Sauer SAP.

A/S with Item 20 was Item 21 which was three Sig Sauer magazines, capacity 17 cartridges, which fit into and functioned with the Item 20 Sig Sauer SAP. One magazine had 10 cartridges, the other two magazines each had 17 cartridges, all of which were 9mm Luger caliber cartridges, Speer brand, loaded with jacketed hollow point bullets. Further submitted was (1) 9mm Luger caliber cartridge, Speer brand.

<b>EXAMINER:</b> J. Cadigan	<b>DATE:</b> 4/28/21	<b>INITIALS:</b> <i>JC</i>
<b>NIBIN:</b>	<b>DATE:</b>	<b>INITIALS:</b>

**Delaware State Police  
Forensic Firearms Services Unit**

VERIFICATION WORKSHEET

Lab # *210280*


Reviewer	Items	Comments
<i>S. Deady</i>	<i>1-7</i>	<i>⊕ IDENTIFICATION</i>

All verifications are to be conducted by a qualified examiner.

CONDUCTED BY: *S. Deady*

DATE: *4-13-21*

*gc*  
*1787 22*



Item 2 vs Item 4 (210280)  
4/8/21 (36 X)


*JA*  
pg 9 of 22


Item 2 vs Item 1 (210280)  
4/8/21 (28 X)



JA  
pg 10 of 22

Item 7 vs Item 5 (210280)  
4/8/21 (36 X)






QA  
pg 12 of 27



(210280) Item 2 vs Item 3  
4/8/21 (28 X)



QA  
Pg 13 of 22

**Delaware State Police  
Forensic Firearms Services Unit**

**VERIFICATION WORKSHEET**

Lab # *210280*

Reviewer	Items	Comments
<i>S. Deasly</i>	<i>Item 2 vs Item 20 (FF)</i>	<i>IDENTIFICATION</i>


All verifications are to be conducted by a qualified examiner.

CONDUCTED BY: *S. Deasly*

DATE: *4-28-21*

*Je*  
*1407 22*

Item 2 vs Item 20(TF)  
(210280) (22 X)  
4/28/21



pg 15 of 22

**Delaware State Police  
Forensic Firearms Services Unit**

VERIFICATION WORKSHEET

Lab # *210280*

Reviewer	Items	Comments
<i>S. Oady</i>	<i>Item 10 vs Item 19 (CF)</i>	<i>IDENTIFICATION</i>


All verifications are to be conducted by a qualified examiner.

CONDUCTED BY: *S. Oady*

DATE: *4-28-21*

*JK*  
*pg 1607 22*

Item 10 vs Item 19 (TF)  
(210280) 4/28/21  
(14 X)



RF  
py 12/9/21

**Delaware State Police  
Forensic Firearms Services Unit**

**VERIFICATION WORKSHEET**

Lab # *210 280*

Reviewer	Items	Comments
<i>S. Oredy</i>	<i>Items 11, 12, 14 &amp; 13 from 20 (IP)</i>	<i>(+) IDENTIFICATION</i>
	<i>Items 15-18 vs Item 20 (IP)</i>	<i>(+) IDENTIFICATION</i>

All verifications are to be conducted by a qualified examiner.

CONDUCTED BY: *S. Oredy*

DATE: *4-28-21*

*J*  
*19/18/21*




Item 15 vs Item 20 (TF)  
(210280) 4/28/21  
(45 X)

*Handwritten signature*



Item 11 vs Item 20 (TF)  
(210280) 4/28/21  
(56 X)





Item 12 vs Item 20  
(TF)  
(210280) 4/28/21  
(56 X)

JK  
pg 21 of 22



Item 14 vs Item 20 (TF)  
(210280) 4/28/21  
(45 X)

*Handwritten signature and date:*  
4/28/21

**DSP FORENSIC FIREARMS SERVICES UNIT  
FIREARM NOTES**

<b>FFSU NUMBER:</b> 210280	<b>COMPLAINT NUMBER:</b> 05-21-017247
----------------------------	---------------------------------------

<b>FIREARM TYPE:</b>	Shotgun	<b>SERIAL NUMBER:</b>	NT266314
<b>MAKE:</b>	New England Firearms	<b>IMPORTER:</b>	N/A
<b>MODEL:</b>	Pardner model	<b>CALIBER:</b>	12 Gauge
<b>TEST FIRED:</b>	YES	<b>COLOR:</b>	Black with brown wood stocks
<b>OPERABLE:</b>	YES		
<b>LAG:</b>	Smooth	<b>CAPACITY:</b>	Single shot
<b>FIRING PIN:</b>	Hemispherical	<b>BARREL LENGTH:</b>	27 1/2"
<b>MAG SAFE:</b>	N/A	<b>TRIGGER PULL:</b>	<b>SINGLE ACTION:</b> <b>DOUBLE ACTION:</b>

**NOTES:**

Item #19 Shotgun, single shot top break. Hammer must be in cocked position to fire. Fired shell ejects when release lever is depressed and frame is open in full top break position.

<b>EXAMINER:</b> Nicholas F. Lano	<b>DATE:</b> 04/26/2021	<b>INITIALS:</b> <i>NFL JST</i>
<b>NIBIN:</b> NO	<b>DATE:</b>	<b>INITIALS:</b>


**DSP FORENSIC FIREARMS SERVICES UNIT  
FIREARM NOTES**

<b>FFSU NUMBER:</b> 210280	<b>COMPLAINT NUMBER:</b> 05-21-017247
----------------------------	---------------------------------------

<b>FIREARM TYPE:</b>	Semi-Automatic Pistol	<b>SERIAL NUMBER:</b>	58K047133
<b>MAKE:</b>	Sig Sauer	<b>IMPORTER:</b>	N/A
<b>MODEL:</b>	P320	<b>CALIBER:</b>	9mm Luger
<b>TEST FIRED:</b>	Yes	<b>COLOR:</b>	Black
<b>OPERABLE:</b>	Yes		
<b>LAG:</b>	6 Right	<b>CAPACITY:</b>	17+1
<b>FIRING PIN:</b>	Hemispherical	<b>BARREL LENGTH:</b>	3.9"
<b>MAG SAFE:</b>	Not mag safe	<b>TRIGER PULL:</b>	<b>SINGLE ACTION:</b> <b>DOUBLE ACTION:</b>

**NOTES:**

Item #20 Sig Sauer 9mm Luger Pistol.  
Item #20 submitted with Item #21 Three (3) 17 capacity Sig Sauer magazines and (45) Speer Headstamp 9mm Luger Ctgs.

<b>EXAMINER:</b> Det. Biddle 1103	<b>DATE:</b> 04/26/2021	<b>INITIALS:</b> 
<b>PEER REVIEW:</b>	<b>DATE:</b>	<b>PAGE:</b> OF
<b>NIBIN:</b> No	<b>DATE:</b>	<b>INITIALS:</b>